

Varieties in red type have limited quantities and may have a limit per person on day of sale.

Veggies	Туре	Variety	Planting Information
			Biennial grown as an Annual; 58-90 Days to maturity; Open Pollinated
			Heirloom; Transplant mid April-mid May; Full sun, seedlings 2ft apart,
			rows 2-3ft apart; Use row cover; Tight heads up to 8in wide; After central
	Broccoli	Calabrese	head is harvested, side shoots will form & can be harvested until frost
			Biennial grown as an Annual; 60-80 Days to maturity; Transplant mid
			April; Full sun, seedlings 2ft apart, rows 3ft apart; Sweet & tender green-
	Collards	Ole Timey Blue	blue leaves with pink veins; Can grow up to 2ft tall
			Annual; Open Pollinated heirloom; 55 Days to maturity; Transplant mid-
			late May; Full sun, seedlings 4-6 ft apart or 1 row in center of raised bed;
			Pickling cucumber; also good fresh; very productive; avg size 5in-6in long
	Cucumber	Boston Pickling	& 2in-3in wide
			Annual; Hybrid variety; 55 Days to maturity; Transplant mid-late May;
			Full sun, seedlings 2 ft apart in rows 4 ft apart or 1 row in center of raised
			bed; Slicing cucumber; avg size 8in-10in long &1.5 in wide; dark green;
	Cucumber	Green Dragon Burpless	spineless; no bitterness; provide 1 in of water per week for best results
			Annual; Open Pollinated; Organic; 50-55 Days to maturity; Transplant
			mid-late May; Full sun, plant 3-4 seedlings in 1ft diameter hills spaced 6 ft
			apart (max of 2 hills at opposite ends in center of raised bed) grow in a
			container; Plant vines avg 3 ft long; harvest yellow-white fruit when they
	Cucumber	Miniature White	are 3 in long; provide 1 in of water per week for best results



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Veggies	Туре	Variety	Planting Information
			Annual; Open Pollinated Heirloom; 58 Days to maturity; Transplant mid-
			late May; Full sun, seedlings 4-6 ft apart or 1 row in center of raised bed;
			Slicing cucumber; avg size 8in long; dark green; provide 1 in of water per
	Cucumber	Straight Eight	week for best results
			Annual; 70 Days to maturity; Transplant mid-late May; Full sun; plants 1.5
			ft apart in rows 2 ft apart; Plants grow to 2ft tall, bearing dark purple
			eggplants with green tinted flesh that are 9in long and 3in diameter;
	Eggplant	Diamond	Excellent texture and flavor
			Annual; Organic; 80-90 Days to maturity; Transplant mid-late May; Full
			sun; plants 1.5-2 ft apart; Plants bear 8 in oval white eggplants with
	Eggplant	Listada de Gandia	purple stripes & mild white flesh.
			Annual; Open Pollinated heirloom; 80 Days to maturity; Transplant mid-
			late May; Full sun, seedlings 1.5-2 ft apart, rows 2-2.5 ft apart or 1
			seedling per 12in container; Produces long, deep purple fruits that can
			grow up to 30 in long but taste best when 8-10 in long, are firm & have
			glossy dark purple skin; Great for ratatouille, eggplant parmesan, sautees
	Eggplant	Long Purple Eggplant	or soups
			Annual; Organic; 70-80 Days to maturity; Transplant mid-late May; Full
			sun; plants 1.5-2 ft apart; Plants bear long slender eggplants up to 12 in
			long with tender light green skin and mild white flesh . Excellent texture
	Eggplant	Thai	and flavor.



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Veggies	Туре	Variety	Planting Information
			Annual; Mild to medium heat, Open Pollinated Heirloom;90 Days to
			maturity; Transplant mid-late May; Full sun, seedlings 1ft apart, rows 2 ft
			apart or 1 seedling per 12in container; Produces black-green, heart-
			shaped fruit that are ready to harvest when 4 in long or allow to ripen
			and dry on the plant for ancho chile; medium heat great for chiles
	Hot Pepper	Ancho Gigantea	rellenos or making sauces
			Annual; Medium heat; Open Pollinated; 85-90 Days to maturity;
			Transplant mid-late May; Full sun, seedlings 1ft apart, rows 2ft apart or 1
			seedling per 12in container; Italian style; Thin skin frying pepper; Great
	Hot Pepper	Ausilio Thin Skin Italian	stewed, dried, stuffed or fried
			Annual; High heat, 90 Days to maturity; Originally from Africa; Transplant
			mid-late May; Full sun;, seedlings 1-2 ft apart or 1 seedling per 12in
			container; Plants grow to 30in tall & produce high yields of habanero-
			type peppers with a delicious citrus flavor & few seeds; Excellent for
	Hot Pepper	Fatalii	container growing, can be overwintered indoors
			Annual; African American Heirloom variety; Medium heat, Transplant
			late May, Full sun, plants 1-2 ft apart or 1 per 12 in diameter container,
			90 Days to Maturity; Productive plant grows up to 2 ft tall, with
			variegated (green/white) foliage and 3 in colorful striped peppers;
	Hot Pepper	Fish	Traditionally used in oyster & crab houses in the Chesapeake Bay.
			Annual; 70-75 Days to maturity; High heat, Transplant mid-late May; Full
			sun, seedlings 2ft apart, rows 2-3ft apart; Very hot; Fruity flavor; Grows
	Hot Pepper	Habanero Orange	green, maturing to orange; Used in cooking and sauces



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Туре	Variety	Planting Information
		Annual; Italian (Calabrian) Heirloom; Medium-High heat, 85 Days to
		maturity; Transplant mid-late May; Full sun, seedlings 1 to 2ft apart or 1
		seedling per 12in container; Plants produce high yields of thin-walled,
		peppers that are great for fresh eating or drying; Fruits grow up to 12in
Hot Pepper	Joe's Long Cayenne	long
		Annual; Caribbean Heirloom; High heat, Transplant late May, Full sun,
		plants 1-2 ft apart or 1 per 12 in diameter container, 90-100 Days to
		Maturity; Productive plant grows up to 3 ft tall with heavy yields of small
Hot Pepper	Red Habanero	rippled red peppers that rank amongst the hottest.
		Annual; Open Pollinated Heirloom; High heat, 95 Days to maturity;
		Transplant mid-late May; Full sun, seedlings 1-1.5ft apart, rows 2-3ft
		apart or 1 seedling per 12in container; Ideal for containers; plants grow
		to 2ft tall; hot variety; harvest when peppers are 2in long and bright red;
Hot Pepper	Rooster Spur	eat fresh or dry and grind into chili powder
		Annual; Organic Heirloom from Czechoslovakia; 40-50 Days to maturity;
		Transplant mid-late May; Full sun to part shade; seedlings 8-10 in apart;
		Compact rosettes of dark green triangular leaves; Plant grow up to 5
Lettuce	lehousek	inches wide and 7-10 inches tall.
Lettude	Jesouseix	Annual; 60-65 Days to Maturity; Transplant late May; Full sun, plants 6-8
		inches apart or 1-3 plants per 12 in diameter container; Productive
		variety that grows 3-4 ft tall, spineless pods grow to 6-8 in long; tolerates
Okra	Cajun Jewel	heat & drought, keep well-picked for high yields.
	Hot Pepper Hot Pepper Hot Pepper	Hot Pepper Joe's Long Cayenne Hot Pepper Red Habanero Hot Pepper Rooster Spur Lettuce Jebousek



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Ту	/pe	Variety	Planting Information
			Annual; 60-70 Days to Maturity; Transplant late May; Full sun, plants 6-8
			inches apart or 1-3 plants per 12 in diameter container; Productive
			variety that grows 6 ft tall, has red stems, produces wide green pods
Ok	kra	Hill Country Red	tinged with red
			Annual; 55-60 Days to Maturity; Transplant late May; Full sun, plants 6-8
			inches apart or 1-3 plants per 12 in diameter container; Productive
			variety that grows to 4 ft tall, burgundy fruits grow to 6 in long; tolerates
Ok	kra	Red Burgundy	heat & drought, keep well-picked for high yields.
			Annual; 80 Days to Maturity; Transplant late May; Full sun, plants 6-8
			inches apart or 1-3 plants per 12 in diameter container; Productive
			variety that grows to 6 ft tall, ivory green fruits grow to 7 in long;
Ok	kra	Silver Queen	tolerates heat & drought, keep well-picked for high yields.
			Annual; 100 Days to maturity; Transplant mid-late May; Full sun,
			seedlings 5-12ft apart or 1 row in center of raised bed; Produces
			pumpkins of 5-7 lbs avg weight; Bake flesh; Seeds are a great snack;
Pu	ımpkin	Small Sweet Sugar Pie	Harvest when vine is dry & fruit is orange
			Annual; 85 Days to maturity; Acorn squash; Transplant mid-late May; Full
			sun, seedlings 5-6 ft apart or 1 row in center of raised bed; Vines grow up
			to 8 ft; dark green skin with yellow flesh; Great for baking; can store for 4
Sq	Įuash	Mammoth Table Queen Acorn	6 weeks; Harvest before frost when stem is dry
			Annual; 100 Days to maturity; Transplant early May; Full sun, seedlings
			5ft apart or 1 row in center of raised bed; Produces butternut squash 8-
Sq	ıuash	Butternut	10in long; Stores well; Very productive plant



Varieties in red type have limited quantities and may have a limit per person on day of sale.

ies	Туре	Variety	Planting Information
			Annual; Open Pollinated; 50-65 Days to maturity; Bush-type squash;
			Transplant late May; Full sun, seedlings 2 ft apart in rows 6 ft apart or 1
			row in center of raised bed or 1 seedling per 20 in container with a trellis
			or cage for support; Prolific producer of pale green, saucer shaped,
	Squash	Pattison Panache	scalloped squash; Harvest when fruits are 4 in wide
			Annual; 80-95 Days to maturity; Transplant mid-late May; Full sun,
			seedlings 4 ft apart in rows 8 ft apart or 1 row in center of raised bed;
			Harvest when squash are about 8in long & 5in wide with avg eight of 4
			lbs & skin is bright yellow; Great for baking, flesh falls away like spaghetti
	Squash	Spaghetti	with tender al dente texture & savory flavor
			Annual; Open pollinated Heirloom; Transplant late April-mid May; Full
			sun, seedlings 1 ft apart, rows 6ft apart or 1 row in center of raised bed;
			Bush habit; Prolific producer of glossy green-black fruit with firm white
			flesh; Best flavor when harvested at 8 in or under; Excellent variety for
	Squash	Zucchini Black Beauty	freezing
			Annual; Hybrid; Organic; 50 days to maturity; Transplant mid-late May;
			Full sun, seedlings 1.5-2ft 4 ft apart in rows 6 ft apart or 1 row in center
	Squash	Zucchini Yellowfin	of raised bed ; Harvest when squash are yellow & 6- 8in long
			Annual; Open Pollinated; 55-80 Days to maturity; Transplant mide-late
			May; Full sun, seedlings 1-2 ft apart, Productive, sturdy plants, Crisp
	Sweet Pepper	Bull Nose Bell	peppers ripen from green to red with an excellent, sweet flavor.



Varieties in red type have limited quantities and may have a limit per person on day of sale.

ies	Туре	Variety	Planting Information
			Annual; Open Pollinated; 65-70 Days to maturity; Transplant mid-late
			May; Full sun, seedlings 1ft apart, rows 2ft apart or 1 seedling per 12in
			pot; Sweet variety; Early pepper that ripens from dark green to ruby red;
	Sweet Pepper	Ruby King	6" fruit, Great for frying and fresh eating
			Annual; 65(green) -80(red) Days to maturity; Transplant mid-late May;
			Full sun, seedlings 1ft apart, rows 3ft apart or 1 seedling per 12in pot;
			Medium early; Small and thinned walled; Sweet variety; Speading habit;
	Sweet Pepper	Shishito	Usually served cooked
			Annual; Indeterminate; 80 Days to maturity; Transplant mid-late May;
			Full sun, seedlings 2ft apart, rows 2-3ft apart; Cage, stake or trellis for
			support; Dark, meaty, rich; The deep color comes from a high expression
			of anthocyanin; Savory with earthy tones; Flavor improves with room
	Tomato	Black Beauty	temperature storage
			Appuals Indotorminatos 90 Days to maturity, Transplant mid late Mays
			Annual; Indeterminate; 80 Days to maturity; Transplant mid-late May;
	T	Dive Beauty	Full sun, seedlings 2ft apart, rows 2-3ft apart; Cage, stake or trellis for
	Tomato	Blue Beauty	support; High antioxidant content; Beefsteak slicer; Deep blue black color
			Annual; Indeterminate; 72 Days to maturity; Transplant mid-late May;
			Full sun, seedlings 2ft apart, rows 4ft apart; Cage, stake or trellis for
			support; Brownish, purple skin with green shoulders and red flesh; Large
	Tomato	Cherokee Purple	beefsteak type



Varieties in red type have limited quantities and may have a limit per person on day of sale.

ies	Туре	Variety	Planting Information
			Annual; Indeterminate, Open Pollinated Heirloom; 85 Days to maturity;
			Transplant mid-late May; Full sun, seedlings 2-3ft apart, rows 2-3ft apart;
			Cage, stake or trellis for support; Beefsteak variety originally from
			Bavaria; Potato leaf plants produce 1-2 lb fruits with meaty flesh, few
	Tomato	German Pink	seeds & minimal cracking; great for slicing, canning & freezing
			Annual; Indeterminate; Open Pollinated Heirloom; 75-90 Days to
			maturity; Transplant mid-late May; Full sun, seedlings 2-3ft apart, rows 2-
			4ft apart; Cage, stake or trellis for support; Orange-yellow fruits with red
	Tomato	Gold Medal	streaks; sweet flavor; best eaten fresh; Trellis, cage or stake for support
			Annual; Indeterminate; 80 Days to maturity; Transplant mid-late May;
			Full sun, seedlings 2ft apart, rows 3ft apart; Cage, stake or trellis for
			support; Large, Pear shaped fruits with pleats; Deep red when ripe;
	Tomato	Goldman's Italian American	Perfect for sauces and preserves
			Annual; Indeterminate; Heirloom; 85-90 Days to maturity; Oxheart type;
			Transplant mid-late May; Full sun, seedlings 2ft apart, rows 3ft apart;
			Cage, stake or trellis for suppport; Can reach over 1 lb; Great for paste,
	Tomato	Hungarian Heart	canning and fresh; Heavyy production all season long
			Annual; Indeterminate; 80-90 Days to maturity; Transplant mid-late May;
			Full sun. seedlings 2ft apart, rows 3ft apart; Cage, stake or trellis or
			support; Flattened beefsteak variety; Pink-Brown color with green
	Tomato	Large Barred Boar	stripes; Meaty, flavorful flesh



Varieties in red type have limited quantities and may have a limit per person on day of sale.

es .	Туре	Variety	Planting Information
			Annual; Indeterminate Open Pollinated Heirloom; 60-70 Days to
			Maturity; Transplant mid-late May; Full sun, seedlings 2ft apart, rows 2-
			3ft apart; Cage, stake or trellis for support; Prolific producer of 1/4-1/2in
ŀ	Tomato	Mexico Midget	cherry tomatoes; Huge tomato flavor in a tiny package
Γ			Annual; Determinate; Open Pollinated; 80-90 Days to maturity;
			Transplant mid-late May; Full sun, seedlings 2ft apart, rows 2-3ft apart;
			Cage, stake or trellis for support; Reliable producer; 4in round fruit with
-	Tomato	Nebraska Wedding	orange skin
			Annual; Indeterminate; Organic; 75-80 Days to maturity; Transplant mid-
			late May; Full sun, seedlings 2-3ft apart or 1 seedling per 12in container;
			Cage, stake or trellis for support; Very productive; Gorgeous 2.5in round,
-	Tomato	Red Zebra	blood red fruit with jagged orange stipes; Slightly tart flavor
			Annual; Indeterminate; Heirloom; 70-80 Days to maturity; Transplant
			mid-late May; Full sun, seedlings 2ft apart, rows 2-3ft apart; Cage, stake
			or trellis for support; Meaty texture with sweet, tangy flavor; Excellent
ŀ	Tomato	Salvaterra's Select	sauce tomato
Γ			Annual; Indeterminate; 75-90 Days to maturity; Transplant mid-late May;
			Full sun, seedlings 2ft apart, rows 2-3ft apart; Cage, stake or trellis for
-	Tomato	Wagner Blue Green	support; Deep blue skin and green flesh
ſ			Annual; Indeterminate; Open Pollinated Heirloom; 85 Days to maturity;
			Transplant mid-late May; Full sun, plants 2ft apart, rows 2-3ft apart;
			Cage, stake or trellis for support; Pink beefsteak variety with large lobes
			and deep ribbing; produce 1-2 lb fruits that are 5-6in wide; complex,
ŀ	Tomato	Whittemore Heirloom	balanced flavor; great for slicing, canning & freezing



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Veggies	Туре	Variety	Planting Information
			Annual; Semi-determinate; 80-90 Days to maturity; Transplant mid-late
			May; Full sun, seedlings 2ft apart, rows 2-3ft apart; Cage, stake or trellis
	Tomato	Wisconsin Chief	for support; Processing tomato; greart for canning or dehydrating
Flowers	Туре	Variety	Planting Information
			Annual; 50-60 Days to maturity; Transplant late April-mid May; Full sun
			to part shade, seedlings 1ft apart, rows 1ft apart; Easy to grow; Avg ht of
			8-16in & avg width up to 1ft; Small, honey-scented white flowers bloom
			spring-fall; Good for hanging baskets, as edging plants in garden beds or
	Alyssum	Sweet Alyssum	in rock gardens; Attracts pollinators
			Annual; Open Pollinated Heirloom; 65-80 Days to maturity; Transplant
			mid-late May; Full sun, seedlings 1ft apart, rows 1ft apart; Plants grow 2-
			3ft tall; Produces true blue flowers through fall; Attracts pollinators;
	Bachelor's Button	Blue Boy	Flowers are excellent for cutting & drying; Flower petals are edible
			Annual; 65-90 Days to maturity; Transplant mid-late May; Full sun to part
			shade, seedlings 8-10in apart; Easy to grow early bloomer; Great for
			flower beds, or as border for vegetable gardens; produces ruffled double
			flowers in deep blue, rose, pink & white; Avg plant ht of 15-17in; Attracts
	Bachelor's Button	Dwarf Double Polka Dot	pollinators; Flower petals are edible.
			Annual; 90 Days to maturity; Transplant mid-late May; Full sun to part
			shade, seedlings 8-10in apart; Easy to grow early bloomer; Great for
			flower beds, or as border for vegetable gardens; flowers range in color
			from purple, white, magenta, lavender & rose; Avg plant ht of 18-24in;
			Attracts pollinators; Flower petals are edible & can be used for herbal
	Bachelor's Button	Mixed Colors	teas.



Varieties in red type have limited quantities and may have a limit per person on day of sale.

50		i di miditadia di mana da mana
Туре	Variety	Planting Information
		Annual; 45-60 Days to maturity; Transplant mid to late May; Full sun,
		plants 6-18 inches apart; Uniformly compact plants grow up to 1 ft tall &
		wide; a mix of yellow, apricot & orange flowers with 3 inch double
		blooms; Petals are edible and used to make infusions to soothe insect
Calendula	Bon Bon Series	bites or sunburn.
		Annual; 45-60 Days to maturity; Transplant mid to late May; Full sun,
		plants 6-18 inches apart; Plant grows up to 2 ft tall; flowers have cream
		petal fronts and crimon underside; Petals are edible and used to make
Calendula	Touch of Red Buff	infusions to soothe insect bites or sunburn.
		Annual; 75 Days to maturity; Transplant mid to late May; Full sun to part
		shade, plants 8-10 inches apart; Full, branching plant grows up to 2ft tall
		and produces many cone- or cockscomb- shaped flowers in colors
		ranging from pink to deep magenta; Good cutting flower; Attracts
Celosia	Himalayan	pollinators, Green-red mottled leaves can be eaten as cooked greens
		Annual; 85-110 Days to maturity; Transplant mid to late May; Full sun,
		plants 1 ft apart or 1 per 12 in pot, vigorous growing vine with maroon
		stems, dark green leaves that resemble spinach and pearl shaped pink
		flowers, pinch back regularly to encourage branching, leaves are edible
Climbing Spir	nach	with a flavor similar to swiss chard & spinach; trellis for support
		Annual; 65-70 Days to maturity; Open Pollinated Heirloom; Transplant
		mid-late May; Full sun to part shade, seedlings 1.5ft apart, rows 3ft
		apart; Bushy plants grow to 2-3ft tall; Produces red-orange flowers that
		last up to 1 week when cut for arrangements; Deadhead to encourage
1		



Varieties in red type have limited quantities and may have a limit per person on day of sale.

rs Type		Variety	Planting Information
Nasturti	ium	Empress of India	Annual; 75 Days to maturity; Open Pollinated; Transplant mid May; Full sun; Seedlings 8in-1ft apart; Can also grow in containers or hanging baskets; Bright crimson flowers over dark blue-green foliage; Flowers & leaves have a peppery kick & are edible; Attract beneficial insects; Good companion plant for crops in cabbage, squash & tomato plant families
Nasturti	ium	Ladybird	Annual; 60-75 Days to maturity; Open Pollinated; Transplant mid May; Full sun; Seedlings 6in-12in apart; Can also grow in containers or hanging baskets; Bright yellow-orange flowers with red flecks in center; Flowers & leaves have a peppery kick & are edible; Attract beneficial insects; Good companion plant for crops in cabbage, squash & tomato plant families
Nasturti	ium	Milkmaid	Annual; 75 Days to maturity; Open Pollinated; Transplant mid May; Full sun; Seedlings 1ft apart; Can also grow in containers or hanging baskets; Ivory flowers over dark blue-green foliage; Flowers & leaves have a peppery kick & are edible; Attract beneficial insects; Good companion plant for crops in cabbage, squash & tomato plant families
Nasturti	ium	Orange Tip Top	Annual; 60-75 Days to maturity; Open Pollinated; Transplant mid May; Full sun; Seedlings 6in-12in apart; Can also grow in containers or hanging baskets; Bright orange flowers; Flowers & leaves have a peppery kick & are edible; Attract beneficial insects; Good companion plant for crops in cabbage, squash & tomato plant families



Varieties in red type have limited quantities and may have a limit per person on day of sale.

5	Туре	Variety	Planting Information
			Annual; 60 Days to Maturity; Transplant mid to late May, Full sun, plants
			6-8 in apart in rows 2-3 ft apart or 1-3 plants per 12 in diameter
			container; Dwarf plants grow to 2-3 ft tall; muliple blooms have pointed
			golden petals and green centers. Excellent for containers & as a cutting
	Sunflower	Irish Eyes	flower.
			Annual; 75 Days to maturity; Open Pollinated Heirloom; Transplant mid
			May; Full sun, Seedlings 6in apart, rows 2-3ft apart; Dwarf plants grow
			only 1.5-2ft tall & produce 4-6in golden yellow blooms; Also good in
	Sunflower	Teddy Bear	containers
			Annual; 54-70 Days to maturity; Open Pollinated; Transplant late May;
			Full sun, seedlings 6-8in apart; Avg ht of 3ft; Blooms summer-fall;
			Produces extra large vibrant orange flowers with long quilled petals;
	Zinnia	Aztec Orange	Attracts pollinators
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings
			1ft apart; Avg ht of 6-8in; Blooms summer-fall; Dwarf variety produces
			button like flowers in shades of yellow, pink, magenta & white; Great in
			flower beds, as borders in a raised bed or in containers; Deadhead to
	Zinnia	Burpee's Big Tetra Mixed Colors	encourage blooms; Attracts pollinators
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings
			1ft apart; Plant grows up to 2-3ft tall & 8-10 in wide; Ivory to white
			blooms with splashes of red summer-fall; Great in flower beds, as
			borders in a raised bed or in containers; Deadhead to encourage blooms;
	Zinnia	Candy Stripe White	Attracts pollinators



Varieties in red type have limited quantities and may have a limit per person on day of sale.

lowers	Туре	Variety	Planting Information
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings 6
			8in apart; Avg ht of 3ft; Blooms summer-fall; Produces 5in elegant bright
			red, double blooms; Deadhead to encourage more blooms; Attracts
	Zinnia	Cherry Queen	butterflies and hummingbirds
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings 6-
	Zinnia	Coral Beauty	8in apart; Avg ht of 28-30in; Blooms summer-fall; Produces large, coral colored double blooms up to 6in wide; Attracts pollinators
	Ziiiiia	Corai Beauty	colored double blooms up to our wide, Attracts polimators
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings
			2ft apart; Avg ht of 2-3ft; Blooms summer-fall; Heat tolerant, sturdy plant
			that produces flowers in shades of pink, scarlet, yellow, orange, cream &
	Zinnia	Cut & Come Again	lavender that come back after they are cut; Attracts pollinators
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings 8
			10in apart; Avg ht of 13-14in; Blooms summer-fall; Dwarf variety
			produces bright dahlia-like double flowers in shades of yellow, red, white
			& orange; Great in flower beds, as borders in a raised bed or in
	Zinnia	Dwarf Vision Mix	containers; Attracts butterflies and other pollinators
			Annual; 54-70 Days to maturity; Transplant late May; Full sun, seedlings 8
			10in apart; Plants grow up to 3-4 ft tall; Blooms summer-fall; Produces 4
			inch white dahlia-like double flowers with yellow centers; Great in flower
	Zinnia	Polar Bear	beds or in containers; Attracts pollinators



Varieties in red type have limited quantities and may have a limit per person on day of sale.

,		
Туре	Variety	Planting Information
		Annual; 65 Days to maturity; Open Pollinated; Transplant late May; Full
		sun, seedlings 1ft apart, rows 1-2ft apart or 1-2 seedlings per container;
		Sweet flavor & fragrance good to use as wrappers for appetizers or large
Basil	Genovese	batches of pesto
		Annual; 72 Days to maturity; Transplant late May; Full sun, seedlings 4-
		8in apart, rows 1.5ft apart or 1-2 seedlings per container; Avg plant ht of
Basil	Red Rubin	1.5-2ft; High yields of urple-copper leaves that make an attractive garnish
-		Annual; 65 Days to maturity; Open Pollinated; Transplant mid May; Full
		sun, seedlings 4-8in apart, rows 1.5ft apart or 1-2 seedlings per
		container; Traditional Italian favorite; Avg plant ht of 10-12in; High yields
		of large, slighlty cupped deep green, aromatic leaves to use fresh, in
Basil	Sweet	vinegars or for pesto
Borage		Annual; 60 Days to Maturity; Transplant mid to late May, Full sun to part shade, plants 12 in apart; Plants grow up to 2-3 ft tall; Star-shaped bright blue edible flowers have a light cucumber flavor; Leaves are covered with stiff white hairs, attracts bees & other pollinators
Chamomile	German	Annual; 75 Days to maturity; Transplant mid to late May; Full sun to part shade, plants 8 inch apart; Fragrant, bushy plant that grows up to 12-22 inches tall with many daisy like flowers that make a soothing tea.
Chamomile	Roman	Perennial; 60-69 Days to maturity; Transplant mid to late May; Full sun to part shade, plants 8 inch apart; Fragrant, bushy plant that grows up to 12-22 inches tall with many daisy like flowers that make a soothing tea.



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Herbs	Туре	Variety	Planting Information
			Annual; 40-50 Days to maturity; Transplant late May; Full sun, seedlings 8
			10 in apart or 1-2 plants per container; Compact plant with ferny foliage
			& large seed heads; very aromatic; seeds used for pickling; leaves used
			fresh; Good companion for plants in the cabbage family, cucumber,
	Dill	Bouquet	asparagus & tomato
			Perennial; 75-85 Days to maturity; Transplant late April-mid May; Full
			sun, seedlings 6-12in apart, rows 2-3ft apart; Two inch hedge producing
			dark blue flower spikes; Attracts butterflies, bees and hummingbirds;
			Foliage is dark green and slightly bitter; Can be used in salads, soups or
	Hyssop		stews
			Perennial; 80-90 Days to maturity; Transplant mid to late May; Full sun,
			seedlings 8-10 inches apart; Flavorful herb used in Mediterranean
			cuisines for its earthy, woodsy flavor; Vigorous grower that requires
	Oregano	Common Italian	regular pruning to control growth; ideal for containers
			Biennial grown as an Annual; 70-90 Days to maturity; mid to late May;
			Full sun to part shade, seedlings 6-10in apart or 1 small bunch of
			seedlings per 12in container; Fragrant herb with a light peppery flavor;
	Parsley	Italian Flat Leaf	Plant attracts pollinators and beneficial insects
Fruit	Туре	Variety	Planting Information
			Annual; 80-90 days to maturity; Transplant late May; Full sun; Plant 2-3
			seedlings in hills 6 ft apart; Be careful not to disturb roots when
	Melon	Amish	transplanting 4 to 7 lb fruit; Very juicy; Thick rind



Varieties in red type have limited quantities and may have a limit per person on day of sale.

Туре	Variety	Planting Information
		Annual; 90-100 days to maturity; Transplant late May; Full sun; Plant 2-3
		seedlings in mounds 4-6 ft apart; Be careful not to disturb roots when
		transplanting; Football shaped; Heavy producer; Hard shelled with firm
Melon	Pride of Wisconsin	flesh
		Annual; Open Pollinated Heirloom; 70-75 Days to maturity; Transplant
		mid-late May; Full sun, seedlings 3-4ft apart, rows 5-6ft apart; Performs
		well in cool weather & hot climates; High yields of round, dark green 9in
		fruit with candy-sweet red flesh; Use row cover until outdoor
Watermelon	Blacktail Mountain	temperature is consistently above 60F
		Annual; Open Pollinated Heirloom; 70 Days to maturity; Transplant mid-
		late May; Full sun, Plant 2-3 seedlings in 12 in diameter hills 8 ft apart;
		Performs well in cool weather & hot climates; Pleasantly sweet 3 lb fruits,
		rind turns yellow when ripe, flesh is pink, Use row cover until outdoor
Watermelon	Golden Midget	temperature is consistently above 60F
		Annual; Open Pollinated heirloom; 85-90 Days to maturity; Transplant
		mid-late May; Full sun, plants 1ft apart, rows 8ft apart; Dark green oval
		fruits with sweet pink flesh and a crisp juicy texture; Use row cover until
Watermelon	Halbert Honey	outdoor temperature is consistently above 60F
		Annual; Open Pollinated Heirloom; 80-90 Days to maturity; Transplant
		mid-late May; Full sun, Plant 2-3 seedlings in 12 in diameter hills 8 ft
		apart; Performs well in cool weather & hot climates; 10-12 in fruits with
		dark green and sweet red flesh, Use row cover until outdoor temperature
Watermelon	Shining Light	is consistently above 60F